

100,000 Models Available

Highly-difficult OEM Sintered Porous Metal Filters

"Accurate Filtration & Intimate Services"

ABOUT US

HENGKO Technology Co., Ltd. is a professional manufacturer engaged in the research, development, production, sale, and service of highly complex sintered porous metal filters and accessories, ultra-high purity and pressure filtration system parts, porous metal sensor housings, food grade stainless steel gas spargers and diffusion stones.

We are committed to solving outstanding technical problems like micro nano high-temperature high-pressure high purity filtration, gas-liquid constant current & current-limiting to fill product function vacancies in this field and help customers improve product competitiveness continuously. We are dedicated to strict quality control and thoughtful customer service, and our experienced staff members are always available to discuss customers' requirements and ensure full customer satisfaction.

Our products are widely used in environmental detection, instrumentation, pharmaceutical equipment, environmental protection, filtration, oil, natural gas, chemical industry, valves, fluids, semiconductors, aviation, new energy, food, health, agriculture and many other fields.

HENGKO provides customers with a full range of technical support from technical services to new product development and from solutions to process design in order to meet the growing needs of customers with excellent quality, value and service. We look forward to forming a stable and extensive strategic partnership with friends from all walks of life and creating a better future together.



Product Category

- * Sintered Porous Metal Filters
- * Sintered Powder Stainless Steel Filters
- * Porous Metal Instrument Filters
- * Gas Spargers
- * Stainless Steel Diffusion Stones
- * Porous humidity Sensor Housings
- * Porous Gas Sensor Housings
- * Flow Restrictors
- * Flame Arrestors
- * Ultra High Purity Filters
- * Gas-Liquid High Pressure Filters
- * Porosity Metal Wicking Elements
- * Sintered Bronze Filters
- * Stainless Steel Wire Mesh Filters
- * Pneumatic Air Mufflers

100,000 Design available

7 nano -- 120 microns

Professional Processing



Product Function

- * Filtration separation and purification of gas-solid liquids
- * Uniform dispersion of gas, smooth and constant flow
- * Sampling and protection of precision instruments
- * Powder handling, solid boiling, cooling heat transfer
- * Dust removal and prevention of dust, ventilation and moisture
- * Noise reduction and muffling, pressure regulation
- * Filtration and purification for extreme environments
- * Electrodes

Catalog

■	Stainless Steel/Inconel Filters ·····	1
■	Stainless Steel/Inconel Filter Tubes ·····	2
■	Stainless steel/Inconel Filter Cups ·····	3
■	Stainless steel/Inconel Filter Plates ·····	4
■	Stainless Steel/Inconel Filter Cylinders ·····	5
■	Customized Stainless Steel Filters ·····	6
■	Stainless Steel Filters with Internal/External Threads ·····	8
■	Gas Filter Housings ·····	9
■	Stainless Steel Mesh Filter Sheets/Filter Plates ·····	10
■	Stainless Steel Mesh Filter Tubes/Cartridges/Filters ·····	11
■	Stainless Steel Sintered Noise Reduction Elements ·····	13
■	OEM Products ·····	14
■	Copper Sintered Filter Plates/Cups/Filter Tubes ·····	15
■	Copper Sintered Noise Reduction Elements ·····	16
■	Applications ·····	18
■	Pore Size Display ·····	19

Sintered Porous Metal Filters

OEM Available



HENGKO Filter Sheets Can QEM By 5-Kinds of Metal Materials:

Stainless steel 316L powder microparticles

Monel alloy powder

Titanium powder

Inconel alloy powder

Hastelloy powder


Stainless steel sintered filter discs are made of stainless steel 316L powder sintered, with excellent strength, corrosion resistance and heat resistance, washable and reusable cartridges, long service life and excellent reusability. Widely used in petroleum, chemical, metallurgy, security and explosion-proof, food and beverage industries.



Sintered Porous Metal Filters



Composite Sintered Metal Filter



Special-shaped sintered metal filter


Size Range



diameter range
(2.0—500mm)



height range
(1.0—100mm)



pore size
(0.1—120μm)

Sintered Porous Metal Filters Tubes

OEM Available

HENGKO Filter Tubes are available in 5 material categories:

stainless steel 316L, 904 powder micro-particles

monel alloy powder

titanium powder

Inco nickel alloy powder

hastelloy alloy



Stainless steel filter tube is made of sintered stainless steel powder, due to the superiority of material and process, has high mechanical strength and pressure resistance, excellent corrosion resistance and high temperature resistance; Uniform pore size and high permeability; Easy to clean, long service life. Widely used in food, environmental protection, chemical, aerospace and many other industries.

Size Range

Outside diameter range
(4.0—220mm)

∅OD


∅ID

Inside diameter range
(2.0—210mm)

height range
(2.0—1000mm)

H

Aperture range
(0.1—90μm)



Sintered metal filter tube



Customized porous metal parts



Highly-complex sintered metal filters and assembly



OEM products

Sintered Steel/Inconel Filters Cups


OEM Available

HENGKO Filter Cup are available in 4 material categories:

- stainless steel 316L powder microparticles
- monel alloy powder
- pure nickel powder
- inconel alloy powder

Commonly used in gas liquid divergence, dust, noise reduction, chemical, pharmaceutical, pure water and gas filtration, but also for flow control and distribution. Good pressure resistance, good permeability, accurate and stable filtration accuracy, solid material, good corrosion resistance, wide range of application, easy to clean, long life.

Diagram of T-type Valve Filter Element



special-shaped filter cup



Customized Sintered Filters



Customized Filter Cup



sintered metal filter cups



OEM products

Stainless Steel/Inconel Filters Plates

OEM Available

HENGKO Filter Sheets are available in 4 material categories:

Stainless steel 316L powder microparticles

Monel alloy powder

Pure Nickel powder


Inco nickel alloy powder

Stainless steel sintered Filter plate is made of 304, 316, 316L stainless steel powder sintered, working temperature can withstand up to 600°C temperature, high temperature and corrosion resistance; Uniform aperture, good air permeability, high filtration, accuracy; Excellent performance, high compressive strength, high mechanical strength; It has the advantages of durability, maintenance, reliability and ease of use.

Product Parameter




outside diameter range
(4.0—220mm)



aperture range
(0.1—90μm)



Irregular Shapes



height range
(2.0—1000mm)

Sintered Steel/Inconel Filters Cylinder

OEM Available

HENGKO Filter Cylinder are available in 4 material categories:

stainless steel 316L powder microparticles

monel alloy powder

inconel alloy powder

pure nickel powder



The product has the characteristics of , anti-corrosion, easy to clean, environmental protection and long service life. It is mainly used for purification, filtration, isolation, industrial muffler, storage of volatilization and so on.



Customized Sintered SS Filters

OEM Available

Stainless steel 316L powder and metal fittings

HENGKO stainless steel filter can be produced according to custom requirements of various shapes, structures, different precision and porosity of porous components, with unique technology and strict production process, with high mechanical strength, high temperature resistance, corrosion resistance, easy to clean, machinable and other advantages. Widely used in chemical, pharmaceutical, food, metallurgy, petroleum, environmental protection and other fields of gas-liquid solid filtration separation.






Product Display(Fig.1)



Product Display(Fig.2)**Product Display(Fig.3)****Product Display(Fig.4)****Product Display(Fig.5)**

Porous Metal Sensor Protection Housing

OEM Available



Gas Sensor Protection Housing with Sintered Filter

OEM Available



HENGKO Gas Sensor Housing

stainless steel 316L powder

metal shell

integrated multilayer stainless steel wire mesh

integrated sintering

Product Features

Durable, excellent dustproof and waterproof ability, precise aperture, uniform distribution, gas liquid flow and exchange speed is very fast, explosion-proof flame insulation performance is excellent; Seamless integration of breathable shell, firm without falling off; To solve the problem of dustproof and flameproof for customers.



Stainless steel mesh filter/filter plate

OEM Available




Brief Introduction

HENGKO Stainless Steel Filter Mesh is made of stainless steel wire mesh, sintered in vacuum, a new filter material with high strength and overall steel, and the holes between the layers of wire mesh are staggered, forming a uniform and ideal filtration structure. It is especially ideal for filtration that requires high compressive strength and uniform filtration precision, and is widely used in food and pharmaceutical industries, especially in pharmaceutical 2-in-1 and 3-in-1 equipment.

Product Features

1. High strength: It has very high mechanical strength and compressive strength.
2. High precision: the filtration accuracy of 1~1000 μ m can play a uniform surface filtration performance.
3. Heat resistance: It can be used for continuous filtration from -200°C to 600°C .
4. Cleaning: Due to the use of excellent counter-current cleaning effect of the surface filter structure, cleaning is simple.
5. Can be customized according to customer needs.

Product Aperture: 1~1000 μ m



Stainless steel mesh filter tube/cartridge/filter


OEM Available

Brief Introduction

Main material of HENGKO stainless steel filter tube/cartridge filter:

Multilayer wire mesh sintered stainless steel



Commonly, used in polyester, oil, chemical, pharmaceutical, pure water and gas filtration, but also for flow control, distribution and sampling. Good pressure resistance, good permeability, accurate and stable filtration accuracy, solid material, no stratification, no loose mesh, no displacement, good corrosion resistance, wide range of application, easy to clean, long life.



Stainless steel mesh filter tube/cartridge/filter

OEM Available

Stainless steel mesh filter tube



Stainless steel mesh filter cartridge







Stainless steel mesh filter







Air Muffler Filter



OEM Available



Tapered HBSL-SSA muffler	G: height H: thread d: hex size
 <p data-bbox="297 379 335 454">NPT PT G</p>	



Flat head HBSL-SSMV muffler	G: thread d: hex size H: height
 <p data-bbox="787 379 824 478">NPT PT G M</p>	



HBSL-SSDM net flat head muffler	G: thread H: height d: hex size
 <p data-bbox="297 683 335 758">NPT PT G</p>	

Type HSP muffler	G: thread H: height
 <p data-bbox="787 683 824 758">NPT PT G</p>	

Type B regulating valve	G: thread H: height D: hex size
 <p data-bbox="297 979 335 1054">NPT PT G</p>	

BSL-SSDV muffler	G: thread H: height D: hex size
 <p data-bbox="787 979 824 1077">NPT PT G M</p>	

PDK type muffed exhaust throttle valve	G: thread H: height d: hex size
 <p data-bbox="297 1279 335 1355">NPT PT G</p>	

Side exhaust muffler	G: thread H: height d: hex size
 <p data-bbox="787 1279 824 1355">NPT PT G</p>	

Display - OEM products


OEM Available



Biofilter



Gas filter



Multiple gas filters



Stainless steel sintered porous filter



Dust filter series



Special filter



Copper sintered filter/filter cup/filter tube

OEM Available

HENGKO Sintered Bronze Filters

Commonly used for noise reduction and gas filtration, but also for flow control and gas distribution, sampling protection, gas-liquid compartment transfer, extraction, diffusion, sound insulation, purification. Good permeability, accessories do not fall off, good thermal conductivity, shape and structure plasticity.



Sintered Bronze Pneumatic Muffler

OEM Available

Tapered HBSL-B muffler

G: thread H: height
d: hex size

NPT
PT
G

Flat head HBSL - MAV type muffler

G: thread H: height
d: hex size

NPT
PT
G

HSC type muffler

G: thread H: height

NPT
PT
G

HC type muffled exhaust throttle valve

G: thread H: height
d: hex size

NPT
PT
G

HPDK type muffled exhaust throttle valve

G: thread H: height
d: hex size

NPT
PT
G

HPS type muffled exhaust throttle valve

G: thread H: height
d: hex size

NPT
PT
G

HPDK type muffled exhaust throttle valve

G: thread H: height
d: hex size

NPT
PT
G

HG type muffler

G: thread H: height
d: inner hex size

NPT
PT
G

Sintered Bronze Pneumatic Muffler

OEM Available

HSD type speed regulating muffler

G: thread H: height
d: hex size

NPT
PT
G

Type HSP muffler

G: thread d: hex size
H: height

NPT
PT
G

Oil valve filter

G: thread H: height
d: hex size

NPT
PT
G

Insert oil return type

D: outer diameter
H: height

NPT
PT
G

Type D muffler

D: length d: width
H: height

Conical cylinder type

A: large external diameter
B: small external diameter
C: large internal diameter
D: small internal diameter
H: High

Cylindrical/sheet type

D: outer diameter
H: height

cupping

d: inside diameter
D: outer diameter
H: height

Applications

OEM Available

Food and beverage, chemical, pharmaceutical, electronic components, aerospace, hydrogen energy vehicles, gas filtration, chemical industry, sewage treatment, etc.



beverages



chemistry



medicine



electronic components



aerospace



hydrogen vehicle



gas filtration



chemical industry



sewage treatment

Pore Size



Pore Size: 0.2 μ m



Pore Size: 0.5 μ m



Pore Size: 2 μ m



Pore Size: 3-5 μ m



Pore Size: 5-7 μ m




Pore Size: 7-10 μ m



Pore Size: 10-15 μ m




Pore Size: 15-20 μ m



Pore Size: 20-30 μ m



Pore Size: 30-40 μ m




Pore Size: 40-60 μ m




Pore Size: 60-70 μ m




Pore Size: 60-90 μ m



Pore Size: 70-90 μ m



Pore Size: 90-100 μ m



Pore Size: 100-120 μ m

HENGKO

Make Filtration and Separation Easier

Customer Center WeChat



Factory Location: 51-3, Fu 'an West Road,
PingHu Street, LongGangDistrict, ShenzhenCty,
GuangDong 518111 China

Tel: +86-755-89974996-100

E-mail: ka@hengko.com
sales@hengko.com

Web: www.hengko.com



www.hengko.com

HENGKO

HENGKO Technology Co., Ltd